


# ST. JEAN DE BREBEUF MATHEMATICS



## CHAPTER 6.1

## EXPLORE NON-LINEAR RELATIONS

# CHAPTER 6.1 EXPLORE NON-LINEAR RELATIONS


## KEY CONCEPTS

A **quadratic relation** is one type of *non-linear* relation.

→ an equation that describes a parabola

→ an equation of the form  $y = ax^2 + bx + c$ , where  $a \neq 0$

The graph of a quadratic relation is called a **parabola**, which is a *symmetrical* U-shaped graph



CABILAN MATH ONLINE.COM

# CHAPTER 6.1 EXPLORE NON-LINEAR RELATIONS

## EXAMPLE 1 Drawing a Line or Curve of Best Fit


Graph the data in each table. Draw a **line** or **curve** of best fit. Explain your reason

(a)

$x$	$y$
0	2
1	6
2	10
3	14
4	18
5	22

Explanation:

A line can easily be drawn through all the points.



# CHAPTER 6.1 EXPLORE NON-LINEAR RELATIONS

## EXAMPLE 1 Drawing a Line or Curve of Best Fit


Graph the data in each table. Draw a **line** or **curve** of best fit. Explain your reason

(b)

x	y
0	24
1	6
2	0
3	6
4	24

Explanation:


- A line cannot be drawn through the points
- A smooth curve going up can be drawn through the points



# CHAPTER 6.1 EXPLORE NON-LINEAR RELATIONS

## EXAMPLE 2 Area of a Square

The formula for the area of a square is  $A = s^2$ , where  $s$  represents the side length of a square.



Complete the table below and draw a smooth curve through all the points.

Side length (cm)	$A = s^2$ (in $\text{cm}^2$ )
0	$(0)^2 = 0$
1	$(1)^2 = 1$
2	$(2)^2 = 4$
3	$(3)^2 = 9$
4	$(4)^2 = 16$
5	$(5)^2 = 25$

(0, 0)

(1, 1)



(2, 4)

(3, 9)

(4, 16)

(5, 25)

Area



MATH ONLINE.COM

# CHAPTER 6.1 EXPLORE NON-LINEAR RELATIONS

## Homework:

Page 241 – 244

#1 – 3, 6



CABILAN MATH ONLINE.COM