ST. JEAN DE BREBEUF MATHEMATICS

CHAPTER 6.1
EXPONENT LAWS

CHAPTER 6.1 EXPONENT LAWS

KNOW YOUR CALCULATOR



EXPONENT KEY

→Raises a number to an exponent

EXAMPLE:

Evaluate $\mathbf{2^3}$

Press 2 → y^x → 3 → =

CHAPTER 6.1 EXPONENT LAWS

FUNDAMENTALS



EXPONENT LAWS

1. EXPONENT LAW FOR MULTIPLICATION (PRODUCT LAW)

Write $2^3 \times 2^4$ as a single power and evaluate

$$2^3 \times 2^4$$
$$= 2^{3+4}$$
$$= 2^7$$
$$= 128$$

GENERAL FORMULA FOR MULTIPLYING POWERS

$$a^m \times a^n = a^{m+n}$$

Rule: When multiplying powers of the **same** base, you keep the base and **ADD** the exponents.

CABILAN MATH ONLINE.COM

CHAPTER 6.1 EXPONENT LAWS

EXPONENT LAWS

1. EXPONENT LAW FOR MULTIPLICATION (PRODUCT LAW)

PRACTICE

1. $2^{-4} \times 2^{6}$

$= 2^{-4+6}$

$= 2^{2}$

$= 4$

2. $5^{-2} \times 5^{7}$

$= 5^{-2+7}$

$= 5^{5}$

$= 3125$

3. $2^{7} \times 2^{-3}$

$= 2^{7+(-3)}$

$= 2^{7-3}$

$= 2^{4}$

$= 16$

GENERAL FORMULA FOR MULTIPLYING POWERS

$$a^m \times a^n = a^{m+n}$$

Rule: When multiplying powers of the **same** base, you keep the base and **ADD** the exponents.



CABILAN MATH ONLINE.COM

CHAPTER 6.1 EXPONENT LAWS

EXPONENT LAWS

2. EXPONENT LAW FOR DIVISION (QUOTIENT LAW)

EXAMPLE:

Write $7^4 \div 7^2$ as a single power and evaluate

$$7^4 \div 7^2$$
$$= 7^{4-2}$$
$$= 7^2$$
$$= 49$$

GENERAL FORMULA FOR DIVIDING POWERS

$$a^m \div a^n = a^{m-n}$$

Rule: When dividing powers of the **same** base, you keep the base and **SUBTRACT** the exponents.



CABILAN MATH ONLINE.COM

CHAPTER 6.1 EXPONENT LAWS

EXPONENT LAWS

2. EXPONENT LAW FOR DIVISION (QUOTIENT LAW)

PRACTICE:

1. $5^5 \div 5^2$

$= 5^{5-2}$

$= 5^3$

$= 125$

2. $\dfrac{3^2}{3^{-7}}$

$= 3^{2-(-7)}$

$= 3^{2+7}$

$= 3^9$

$= 19683$

3. $\dfrac{7^{-3}}{7^{-5}}$

$= 7^{-3-(-5)}$

$= 7^{-3+5}$

$= 7^2$

$= 49$

GENERAL FORMULA FOR DIVIDING POWERS

$$a^m \div a^n = a^{m-n}$$

Rule: When dividing powers of the **same** base, you keep the base and **SUBTRACT** the exponents.



CABILAN MATH ONLINE.COM

CHAPTER 6.1 EXPONENT LAWS

EXPONENT LAWS

3. POWER OF A POWER LAW

EXAMPLE:

Express $(9^2)^3$ as a single power and evaluate

$$(9^2)^3$$
$$= 9^{2\times 3}$$
$$= 9^6$$
$$= 531441$$

GENERAL FORMULA FOR POWER LAW

$$(a^m)^n = a^{m \times n}$$

Rule: When evaluating powers within brackets, you **MULTIPLY** the exponents.



CHAPTER 6.1 EXPONENT LAWS

EXPONENT LAWS

3. POWER OF A POWER LAW

PRACTICE:

1. $(2^3)^4$

$= 2^{3\times4}$

$= 2^{12}$

$= 4096$

2. $(4^5)^2$

$= 4^{5\times2}$

$= 4^{10}$

$= 1048576$

GENERAL FORMULA FOR POWER LAW

$$(a^m)^n = a^{m \times n}$$

Rule: When evaluating powers within brackets, you **MULTIPLY** the exponents.



CABILAN MATH ONLINE.COM

CHAPTER 6.1 EXPONENT LAWS

EXPONENT LAWS

4. POWER OF A PRODUCT LAW

Simplify $(4a^3)^2$

$$(4a^3)^2$$

$$= (4)^2(a^3)^2$$

$$= 16a^{3\times 2}$$

$$= 16a^6$$

*Apply the exponent to both the co-efficient and the variable

GENERAL FORMULA FOR POWER OF A PRODUCT LAW

$$(ab)^n = a^n b^n$$

Rule: When a co-efficient and a variable are inside the brackets, you must **distribute** the exponent

CABILAN MATH ONLINE.COM

CHAPTER 6.1 EXPONENT LAWS

EXPONENT LAWS

4. POWER OF A PRODUCT LAW

Simplify the following:

(a) $(3x^2)^5$

$= (3)^5(x^2)^5$

$= 243x^{2\times5}$

$= 243x^{10}$

(b) $(-5y^3)^4$

$= (-5)^4(y^3)^4$

$= 625\,y^{3\times4}$

$= 625\,y^{12}$

GENERAL FORMULA FOR POWER OF A PRODUCT LAW

$$(ab)^n = a^n b^n$$

Rule: When a co-efficient and a variable are inside the brackets, you must **distribute** the exponent

CABILAN MATH ONLINE.COM

CHAPTER 6.1 EXPONENT LAWS

EXPONENT LAWS

5 *The Zero Exponent Law*

Use a calculator to evaluate the following:

a) 7^0 = 1

b) $(-3)^0$ = 1

c) k^0 = 1

THE EXPONENT ZERO

Any base raised to the exponent zero *always* equals
ONE (1)

CHAPTER 6.1 EXPONENT LAWS

6. *Negative Exponents*

EXAMPLE:

Express 4^{-3} as a single power and evaluate

$$4^{-3}$$

$$= \left(\frac{1}{4}\right)^{3}$$

$$= \frac{(1)^{3}}{(4)^{3}}$$

$$= \frac{1}{64}$$

STEPS:

1. Write the base as a **reciprocal** (ie. "flip" the base)
2. Make the exponent **positive**
3. Raise the numerator and denominator by the exponent



CHAPTER 6.1 EXPONENT LAWS

6. Negative Exponents

PRACTICE:

Express each as a single power and evaluate

1. 3^{-5}

$$= \left(\frac{1}{3}\right)^5$$

$$= \frac{(1)^5}{(3)^5}$$

$$= \frac{1}{243}$$

2. $\dfrac{4^3}{4^5}$ *Subtract exponents first!

$$= 4^{3-5}$$

$$= 4^{-2}$$

$$= \left(\frac{1}{4}\right)^2$$

$$= \frac{(1)^2}{(4)^2}$$

$$= \frac{1}{16}$$

STEPS:

1. Write the base as a **reciprocal** (ie. "flip" the base)
2. Make the exponent **positive**
3. Raise the numerator and denominator by the exponent



CHAPTER 6.1 EXPONENT LAWS

6. Negative Exponents

PRACTICE:

Express each as a single power and evaluate

3. $(2^{-2})^3$ *Multiply exponents first!

$$= 2^{-2\times 3}$$

$$= 2^{-6}$$

$$= \left(\frac{1}{2}\right)^6$$

$$= \frac{(1)^6}{(2)^6}$$

$$= \frac{1}{64}$$

STEPS:

1. Write the base as a **reciprocal** (ie. "flip" the base)
2. Make the exponent **positive**
3. Raise the numerator and denominator by the exponent



END OF DAY 1

OPERATION 2 Simplifying Expressions

a) $(29^5)^0$

*Multiply the exponents first!

$= 29^{5\times 0}$

$= 29^0$

$\boxed{= 1}$

b) $\dfrac{6^8 \times 6^{-2}}{(6^2)^2}$

*Add exponents

*Multiply exponents

$= \dfrac{6^{8+(-2)}}{6^{2\times 2}}$

$= \dfrac{6^{8-2}}{6^4}$

$\boxed{= 36}$

$= \dfrac{6^6}{6^4}$ *Subtract exponents

$= 6^{6-4}$

$= 6^2$



c) $k^{-5} \times k^{3}$ *Add exponents!

$= k^{-5+3}$

$= k^{-2}$

$= \left(\frac{1}{k}\right)^{2}$ *Flip the base

*Make exponent **positive**

$= \frac{(1)^{2}}{(k)^{2}}$ Raise numerator and denominator by the exponent

$\boxed{= \frac{1}{k^{2}}}$

d) $\frac{n^{3} \times n^{3}}{(n^{4})^{2}}$ ← *Add exponents!

← *Multiply exponents!

$= \frac{n^{3+3}}{n^{4\times 2}}$

$= \frac{n^{6}}{n^{8}}$ *Subtract exponents!

$= n^{6-8}$

$= n^{-2}$

$= \left(\frac{1}{n}\right)^{2}$ *Flip the base

*Make exponent **positive**

$= \frac{(1)^{2}}{(n)^{2}}$ Raise numerator and denominator by the exponent

$\boxed{= \frac{1}{n^{2}}}$



e) $\dfrac{(7m^{-2})(6m^{5})}{2m}$

*Multiply the co-efficients

*Add the exponents

$$= \frac{42m^{-2+5}}{2m}$$

$$= \frac{42m^{3}}{2m}$$

*Divide the co-efficients

*Subtract the exponents

$$= 21m^{3-1}$$

$$= 21m^{2}$$

OPERATION 3

Using exponent laws, simplify the expression $\frac{a^2b^5c^5}{ab^{-3}c^4}$ and evaluate for **a = 8, b = 2** and **c = -30**

SOLUTION

First, **subtract** the exponents for each variable separately!

$$= a^{2-1}b^{5-(-3)}c^{5-4}$$

$$= a^1b^{5+3}c^1$$

$$= ab^8c$$

*Next, substitute the values into the variables (do not forget the brackets!)

$$= (8)(2)^8(-30)$$

$$\boxed{= -61440}$$



EXAMPLE 4

The sound produced in the first row of a rock concert is 110 dB and the sound produced from a CD player is 60 dB.

a) If 80 dB can be expressed as 10^8, re-write the decibel readings as powers with base 10.

$$110\,dB = 10^{11} \qquad 60\,dB = 10^{6}$$

b) Calculate how many times louder the rock concert is compared to the CD player.

$$\frac{10^{11}}{10^{6}}$$

$$= 10^{11-6}$$

$$= 10^{5}$$

$$= 100000$$

Therefore, the rock concert is 100 000 times louder than the CD player.

HOMEWORK

Page 349

(Day 1) #1ac, 3, 4bd, 5ad

(Day 2) 7abc, 9acd, 10ab, 12adef